





Luxera
Lighting











-Efficiency:85Lm/W

-Body of aluminum

Order No.	Power(W)	Voltage(V)	CRI	Beam Angle(°)	SIZE(MM)
KDR-98001-SM-A	4*3	100-240	90	15/25/40	$\Phi 28^*H260^*L1200$
KDR-98001-SM-A	8*3	100-240	90	15/25/40	$\Phi 28^*H260^*L2400$








-Efficiency:85Lm/W

-Body of aluminum

Order No.	Power(W)	Voltage(V)	CRI	Beam Angle(°)	SIZE(MM)
KDR-98001-SM-B	3	100-240	90	15/25	Φ28*H399/H666











-Efficiency:85Lm/W

-Body of aluminum

Order No.	Power(W)	Voltage(V)	CRI	Beam Angle(°)	SIZE(MM)
KDR-98001	3	100-240	90	15/25	Φ28*H562







-Efficiency:85Lm/W

-Body of aluminum

Order No.	Power(W)	Voltage(V)	CRI	Beam Angle(°)	SIZE(MM)
KDR-98001-F	3	100-240	90	15/25	Φ28*H1248/H1648



Luxera Lighting

www.luxeralighting.ro

 **+40 728 401 242**



Șoseaua București
Urziceni 25, Afumați 077010,
Romania